




SMART DIAMOND TOOLS

FREECALL - 1800 637 347
MOBILE: 0418 356 767 - Clive
E: sales@smarttools.com.au

DIAMOND GRINDING TOOLING

PRODUCT CATALOGUE



PREMIUM PRO QUICK LOCK SHOES



SMART DIAMOND TOOLS

Premium S1300 - Coffin Style Shoe 13mm High

PRODUCT CODE	SPECIFICATION
WL25S - PURPLE	25 Grit - Super Soft Bond - Super Hard Concrete - Single segment shoe
WL25D - PURPLE	25 Grit - Super Soft Bond - Super Hard Concrete - Double segment shoe
WL30S - PURPLE	30 Grit - Super Soft Bond - Super Hard Concrete - Single segment shoe
WL30D - PURPLE	30 Grit - Super Soft Bond - Super Hard Concrete - Double segment shoe
WL60S - PURPLE	60 Grit - Super Soft Bond - Super Hard Concrete - Single segment shoe
WL60D - PURPLE	60 Grit - Super Soft Bond - Super Hard Concrete - Double segment shoe
WL120S - PURPLE	120 Grit - Super Soft Bond - Super Hard Concrete - Single segment shoe
WL120D - PURPLE	120 Grit - Super Soft Bond - Super Hard Concrete - Double segment shoe
WLSTAR25S - PURPLE	25 Grit - Super Soft Bond - Super Hard Concrete - Single STAR segment shoe
WLSTEP25S - PURPLE	25 Grit - Super Soft Bond - Super Hard Concrete - Single STEP segment shoe
WLSTEP25D - PURPLE	25 Grit - Super Soft Bond - Super Hard Concrete - Double STEP segment shoe
WL16S - BLUE	16 Grit - Very Soft Bond - Very Hard Concrete - Single segment shoe
WL16D - BLUE	16 Grit - Very Soft Bond - Very Hard Concrete - Double segment shoe
WL25S - BLUE	25 Grit - Very Soft Bond - Very Hard Concrete - Single segment shoe
WL25D - BLUE	25 Grit - Very Soft Bond - Very Hard Concrete - Double segment shoe
WL30S - BLUE	30/40 Grit - Very Soft Bond - Very Hard Concrete - Single segment shoe
WL30D - BLUE	30/40 Grit - Very Soft Bond - Very Hard Concrete - Double segment shoe
WL60S - BLUE	60 Grit - Very Soft Bond - Very Hard Concrete - Single segment shoe
WL60D - BLUE	60 Grit - Very Soft Bond - Very Hard Concrete - Double segment shoe
WL80D - BLUE	80 Grit - Very Soft Bond - Very Hard Concrete - Double segment shoe
WL120S - BLUE	120 Grit - Very Soft Bond - Very Hard Concrete - Single segment shoe
WL120D - BLUE	120 Grit - Very Soft Bond - Very Hard Concrete - Double segment shoe
WL6S - YELLOW	6 Grit - Soft Bond - Hard Concrete - Single segment shoe
WL6D - YELLOW	6 Grit - Soft Bond - Hard Concrete - Double segment shoe
WL16S - YELLOW	16 Grit - Soft Bond - Hard Concrete - Single segment shoe
WL16D - YELLOW	16 Grit - Soft Bond - Hard Concrete - Double segment shoe
WL25S - YELLOW	25 Grit - Soft Bond - Hard Concrete - Single segment shoe
WL25D - YELLOW	25 Grit - Soft Bond - Hard Concrete - Double segment shoe
WL30S - YELLOW	30/40 Grit - Soft Bond - Hard Concrete - Single segment shoe
WL30D - YELLOW	30/40 Grit - Soft Bond - Hard Concrete - Double segment shoe
WL60S - YELLOW	60 Grit - Soft Bond - Hard Concrete - Single segment shoe
WL60D - YELLOW	60 Grit - Soft Bond - Hard Concrete - Double segment shoe
WL80D - YELLOW	80 Grit - Soft Bond - Hard Concrete - Double segment shoe
WL120S - YELLOW	120 Grit - Soft Bond - Hard Concrete - Single segment shoe
WL120D - YELLOW	120 Grit - Soft Bond - Hard Concrete - Double segment shoe
WL6S - WHITE	6 Grit - Medium Bond - Medium concrete - Single segment shoe
WL6D - WHITE	6 Grit - Medium Bond - Medium concrete - Double segment shoe
WL16S - WHITE	16 Grit - Medium - Medium concrete - Single segment shoe
WL16D - WHITE	16 Grit - Medium Bond - Medium concrete - Double segment shoe
WL25S - WHITE	25 Grit - Medium Bond - Medium concrete - Single segment shoe
WL25D - WHITE	25 Grit - Medium Bond - Medium concrete - Double segment shoe
WL30S - WHITE	30/40 Grit - Medium Bond - Medium concrete - Single segment shoe
WL30D - WHITE	30/40 Grit - Medium Bond - Medium concrete - Double segment shoe
WL60S - WHITE	60 Grit - Medium Bond - Medium concrete - Single segment shoe
WL60D - WHITE	60 Grit - Medium Bond - Medium concrete - Double segment shoe
WL80D - WHITE	80 Grit - Medium Bond - Medium concrete - Double segment shoe
WL120S - WHITE	120 Grit - Medium Bond - Medium concrete - Single segment shoe
WL120D - WHITE	120 Grit - Medium Bond - Medium concrete - Double segment shoe



XHF	PURPLE - Super Soft Bond - Super Hard Floors
VHF	BLUE - Very Soft Bond - Very Hard Floors
HF	YELLOW - Soft Bond - Hard Floors
MF	WHITE - Medium Bond - Medium Floors
SF	BLACK - Hard Bond - Soft Floors
VSF	GREEN - Very Hard Bond - Very Soft Floors

QLVP
Quick Lock Velcro Pads



PREMIUM PRO QUICK LOCK SHOES



SMART DIAMOND TOOLS

Premium S1300 - Coffin Style Shoe 13mm High

	SPECIFICATION
WL6S - BLACK	6 Grit - Hard Bond - Soft concrete - Single segment shoe
WL6D - BLACK	6 Grit - Hard Bond - Soft concrete - Double segment shoe
WL25S - BLACK	25 Grit - Hard Bond - Soft concrete - Single segment shoe
WL25D - BLACK	25 Grit - Hard Bond - Soft concrete - Double segment shoe
WL30S - BLACK	30/40 Grit - Hard Bond - Soft concrete - Single segment shoe
WL30D - BLACK	30/40 Grit - Hard Bond - Soft concrete - Double segment shoe
WL60D - BLACK	60 Grit - Hard Bond - Soft concrete - Double segment shoe
WL80D - BLACK	80 Grit - Hard Bond - Soft concrete - Double segment shoe
WL120D - BLACK	120 Grit - Hard Bond - Soft concrete - Double segment shoe
WLSTEP25S - BLACK	25 Grit - Hard Bond - Soft concrete - Single segment shoe - COATINGS REMOVAL
WL16S - GREEN	16 Grit - Very Hard Bond - Very Soft concrete - Single segment shoe
WL16D - GREEN	16 Grit - Very Hard Bond - Very Soft concrete - Double segment shoe
WL30S - GREEN	30/40 Grit - Very Hard Bond - Very Soft concrete - Single segment shoe
WL30D - GREEN	30/40 Grit - Very Hard Bond - Very Soft concrete - Double segment shoe
WL60D - GREEN	60 Grit - Very Hard Bond - Very Soft concrete - Double segment shoe
WL120D - GREEN	120 Grit - Very Hard Bond - Very Soft concrete - Double segment shoe



NEW 3 SEGMENTS

Premium PRO - QUICK LOCK


CODE	SPECIFICATION
WL30T-WHITE	30 Grit x 3 Segments 30mm x 10mm x 10mm - MF Medium Bond
WL80T-WHITE	80 Grit x 3 Segments 30mm x 10mm x 10mm - MF Medium Bond
WL30T-BLUE	30 Grit x 3 Segments 30mm x 10mm x 10mm - VHF SOFT Bond - Hard Floor
WL60T-BLUE	60 Grit x 3 Segments 30mm x 10mm x 10mm - VHF SOFT Bond - Hard Floor
WL120T-BLUE	120 Grit x 3 Segments 30mm x 10mm x 10mm - VHF SOFT Bond - Hard Floor



NEW STEP SEGMENTS

Premium PRO - STEP - AGGRESSIVE COATING REMOVAL

CODE	SPECIFICATION
WLSTEP25D-PURPLE	25 Grit x 2 Step Segments - X Soft Bond - X Hard concrete XHF
WLSTEP25D-YELLOW	25 Grit x 25 Step Segments- Soft Bond - Hard concrete HF
WLSTEP25D-WHITE	25 Grit x 25 Medium Bond - Medium concrete MF
WLSTEP25D-BLACK	25 Grit x 2 Step Segments - HARD Bond - Soft concrete SF



STAR SEGMENT - Aggressive Coatings Removal

Premium PRO - 25 GRIT STAR - Coatings Removal

CODE	SPECIFICATION
WLSTAR25S PURPLE	25 Grit x 12mm high - SUPER Soft Bond - Super Hard concrete - STAR segment shoe XHF
WLSTAR25S YELLOW	25 Grit x 12mm high - Soft Bond - Hard concrete - STAR segment shoe HF
WLSTAR25S BLACK	25 Grit x 12mm high - Hard Bond - Soft concrete - STAR segment shoe SF



ARROW

Premium PRO - 25 GRIT ARROWS - Coatings Removal

CODE	SPECIFICATION
ARROWHFD	25 Grit x 12mm high - Soft Bond - Hard concrete - Double segment shoe
ARROWSFD	25 Grit x 12mm high - Hard Bond - Soft concrete - Double segment shoe





RAPID LOCK DIAMOND SHOES

SERIES - S600 - 40mm x 10mm x 10mm




PURPLE - XHF EXTREME SOFT Bond for HARD Concrete

CODE	SPECIFICATION
RL30S-PURPLE	Rapid Lock Shoe 30grit x 1 XHF Soft Bond for Hard Floors
RL30D-PURPLE	Rapid Lock Shoe 30grit x 2 XHF Soft Bond for Hard Floors
RL60S-PURPLE	Rapid Lock Shoe 60grit x 1 XHF Soft Bond for Hard Floors
RL60D-PURPLE	Rapid Lock Shoe 60grit x 2 XHF Soft Bond for Hard Floors
RL120S-PURPLE	Rapid Lock Shoe 120grit x 1 XHF Soft Bond for Hard Floors
RL120D-PURPLE	Rapid Lock Shoe 120grit x 2 XHF Soft Bond for Hard Floors



WHITE - MF MEDIUM Bond for Medium Concrete

CODE	SPECIFICATION
RL30S-WHITE	Rapid Lock Shoe 30grit x 1 MF Medium Bond
RL30D-WHITE	Rapid Lock Shoe 30grit x 2 MF Medium Bond
RL60S-WHITE	Rapid Lock Shoe 60grit x 1 MF Medium Bond
RL60D-WHITE	Rapid Lock Shoe 60grit x 2 MF Medium Bond
RL120S-WHITE	Rapid Lock Shoe 120grit x 1 MF Medium Bond
RL120D-WHITE	Rapid Lock Shoe 120grit x 2 MF Medium Bond



BLACK - VSF HARD Bond for SOFT Concrete

CODE	SPECIFICATION
RL30S-GREEN	Rapid Lock Shoe 30grit x 1 VSF Hard Bond for Soft Floors
RL30D-GREEN	Rapid Lock Shoe 30grit x 2 VSF Hard Bond for Soft Floors
RL60S-GREEN	Rapid Lock Shoe 60grit x 1 VSF Hard Bond for Soft Floors
RL60D-GREEN	Rapid Lock Shoe 60grit x 2 VSF Hard Bond for Soft Floors
RL120S-GREEN	Rapid Lock Shoe 120grit x 1 VSF Hard Bond for Soft Floors
RL120D-GREEN	Rapid Lock Shoe 120grit x 2 VSF Hard Bond for Soft Floors



ARROW RAPID LOCK DIAMOND SHOE - COATING REMOVAL

CODE	SPECIFICATION
RL30A-YELLOW	Rapid Lock Shoe 30grit x 1 ARROW HF SOFT Bond for HARD
RL30A-BLACK	Rapid Lock Shoe 30grit x 1 ARROW SF Hard Bond for Soft Floors



PREMIUM PRO QUICK LOCK SHOES




SMART DIAMOND TOOLS

Premium 3"80mm Metal Bond Quick Lock Shoes



CODE	SPECIFICATION
WL34-30XHF	30 Grit x 4 Segments x 10mm - XHF EXTREME Soft Bond / EXTRA Hard Floor
WL34-70XHF	70 Grit x 4 Segments x 10mm - XHF EXTREME Soft Bond / EXTRA Hard Floor
WL34-120XHF	120/140 Grit x 4 Segments x 10mm - XHF EXTREME Soft Bond / EXTRA Hard Floor





CODE	SPECIFICATION
WL3-30XHF	30 Grit x 8 Segments x 10mm - XHF EXTREME Soft Bond / EXTRA Hard Floor
WL3-30HF	30 Grit x 8 Segments x 10mm - HF Soft Bond / Hard Floor
WL3-30MF	30 Grit x 8 Segments x 10mm - MF Medium Bond
WL3-70HF	70 Grit x 8 Segments x 10mm - HF SOFT Bond / HARD Floor
WL3-120HF	120/140 Grit x 8 Segments x 10mm - HF SOFT Bond / HARD Floor




50mm/74mm DIAMOND PLUGS ADAPTOR

74ADAPLUG - Premium 3"80mm Metal Bond Quick Lock for 50mm Magnetic Plug Holder

\$69.00



CODE	SPECIFICATION
WL34-30XHF	30 Grit x 4 Segments x 10mm - XHF EXTREME Soft Bond / EXTRA Hard Floor
WL34-70XHF	70 Grit x 4 Segments x 10mm - XHF EXTREME Soft Bond / EXTRA Hard Floor
WL34-120XHF	120/140 Grit x 4 Segments x 10mm - XHF EXTREME Soft Bond / EXTRA Hard Floor



CODE	SPECIFICATION
WL3-30XHF	30 Grit x 8 Segments x 10mm - XHF EXTREME Soft Bond / EXTRA Hard Floor
WL3-30HF	30 Grit x 8 Segments x 10mm - HF Soft Bond / Hard Floor
WL3-30MF	30 Grit x 8 Segments x 10mm - MF Medium Bond
WL3-70HF	70 Grit x 8 Segments x 10mm - HF SOFT Bond / HARD Floor
WL3-120HF	120/140 Grit x 8 Segments x 10mm - HF SOFT Bond / HARD Floor

PREMIUM PRO QUICK LOCK SHOES



SMART DIAMOND TOOLS

HF YELLOW - Soft Bond - Hard Floors

MF WHITE - Medium Bond - Medium Floors

SF BLACK - Hard Bond - Soft Floors

Premium PRO - 6 Grit + PCD

CODE	SPECIFICATION
6PCDHFS	6 Grit + PCD - Soft Bond - Hard concrete - Single segment shoe
6PCDHFD	6 Grit + PCD - Soft Bond - Hard concrete - Double segment shoe
6PCDMFS	6 Grit + PCD - Medium Bond - Medium concrete - Single segment shoe
6PCDMFD	6 Grit + PCD - Medium Bond - Medium concrete - Double segment shoe
6PCDSFS	6 Grit + PCD - Hard Bond - Soft concrete - Single segment shoe
6PCDSFD	6 Grit + PCD - Hard Bond - Soft concrete - Double segment shoe




PCD

Premium PRO - PCD

PCD

Designed for Fast & Aggressive concrete grinding for EPOXY & COATINGS REMOVAL

PRODUCT CODE	SPECIFICATION
PCD1	2 x 1/3 PCD + segment



PCD

Designed for Fast & Aggressive concrete grinding for EPOXY & COATINGS REMOVAL


PRODUCT CODE	SPECIFICATION
PCD2	5 x 1/4 PCD + segment



PCD


Designed for Fast & Aggressive concrete grinding for EPOXY & COATINGS REMOVAL

PRODUCT CODE	SPECIFICATION
PCD3	1 x Full PCD + TCT segment



CONVERTER PLATES

CONS



CP150PIN



H10



S175



CP270



CP230



CP150



CPLAV



H12



M250



COATINGS REMOVAL

CURVED SEGMENT - CUP WHEEL

Designed for Fast & Aggressive concrete grinding - Coatings Removal

PRODUCT CODE	SPECIFICATION
CSCW76	7" 178mm x 6 segment x 12mm high x 22.23mm - 25 Grit Soft Bond for Hard Concrete
CSCW76XHF	7" 178mm x 6 segment x 12mm high x 22.23mm - 25 Grit Extreme Soft Bond for ExtremeHard Concrete



DIAMOND SHAPED SEGMENTS - CUP WHEEL

Designed for Fast & Aggressive concrete grinding for SUPER HARD CONCRETE

PRODUCT CODE	SPECIFICATION
DSCW56HF	5" 125mm x 6 segment x 8mm high x 22.23mm - 25 Grit Soft Bond for Hard Concrete
DSCW56SF	5" 125mm x 6 segment x 8mm high x 22.23mm - 25 Grit Hard Bond for Soft Concrete
DSCW76VHF	7" 178mm x 6 segment x 8mm high x 22.23mm - 25 Grit Very Soft Bond for Very Hard Concrete
DSCW712VHF	7" 178mm x 12 segment x 8mm high x 22.23mm - 25 Grit Very Soft Bond for Very Hard Concrete
DSCW76HF	7" 178mm x 6 segment x 8mm high x 22.23mm - 25 Grit Soft Bond for Hard Concrete
DSCW76SF	7" 178mm x 6 segment x 8mm high x 22.23mm - 25 Grit Hard Bond for Soft Concrete
DSCW712VHF	7" 178mm x 12 segment x 8mm high x 22.23mm - 25 Grit Very Soft Bond for Very Hard Concrete
DSCW712HF	7" 178mm x 12 segment x 8mm high x 22.23mm - 25 Grit Soft Bond for Hard Concrete
DSCW712SF	7" 178mm x 12 segment x 8mm high x 22.23mm - 25 Grit Hard Bond for Soft Concrete



LARGE DIAMOND SHAPED SEGMENTS - CUP WHEEL

Designed for Fast & Aggressive concrete grinding

PRODUCT CODE	SPECIFICATION
LDCW73	7" 178mm x 3 Large Diamond segment x 22.23mm
LDCW76	7" 178mm x 6 Large Diamond segment x 22.23mm



ARROW SEGMENTS - CUP WHEEL

Designed for Fast & Aggressive concrete grinding for COATINGS REMOVAL

PRODUCT CODE	SPECIFICATION
ASCW56	5" 125mm x 6 segment x 10mm high x 22.23mm - 25 Grit Soft Bond for Hard Concrete
ASCW76	7" 178mm x 6 segment x 15mm high x 22.23mm - 25 Grit Soft Bond for Hard Concrete
ASCW710	7" 178mm x 10 segment x 10mm high x 22.23mm - 25 Grit Soft Bond for Hard Concrete



ARROW SEGMENT + SPLIT PCD - CUP WHEEL

Designed for Fast & Aggressive concrete grinding for HARD COATINGS REMOVAL

PRODUCT CODE	SPECIFICATION
ASCW73PCD	7" 178mm x 3 Large Arrow Diamond segment + Split PCD x 15mm High x 22.23mm
LDCW73PCD	7" 178mm x 3 Large STAR Diamond segment + Split PCD x 15mm High x 22.23mm



PCD SEGMENTS - CUP WHEEL

Designed for Fast & Aggressive concrete grinding for EPOXY & COATINGS REMOVAL

PRODUCT CODE	SPECIFICATION
PCDCW4	4" 100mm x 3 PCD + TCT segment x 22.23mm
PCDCW5	5" 125mm x 3 PCD + TCT segment x 22.23mm
PCDCW512	5" 125mm x 12 PCD x 22.23mm
PCDCW7	7" 178mm x 6 PCD + TCT segment x 22.23mm
PCDCW712	7" 178mm x 14 PCD x 22.23mm
PCDCW10	10" 178mm x 9 PCD + TCT segment x 22.23mm



XHF	PURPLE - Super Soft Bond - Super Hard Floors
VHF	BLUE - Very Soft Bond - Very Hard Floors
HF	YELLOW - Soft Bond - Hard Floors
MF	WHITE - Medium Bond - Medium Floors
SF	BLACK - Hard Bond - Soft Floors



COATINGS REMOVAL

STEP DIAMOND SEGMENT - CUP WHEEL

Designed for Fast & Aggressive concrete grinding for SUPER HARD CONCRETE

PRODUCT CODE	SPECIFICATION
STEP5XHF	5" 125mm x 6 segment x 22.23mm - 25 Grit Very Soft Bond for Very Hard Concrete - XHF
STEP5HF	5" 125mm x 6 segment x 22.23mm - 25 Grit - Soft Bond for Hard Concrete - HF
STEP5F	5" 125mm x 6 segment x 22.23mm - 25 Grit - Hard Bond for Soft Concrete - SF
STEP7XHF	7" 178mm x 8 segment x 22.23mm - 25 Grit Very Soft Bond for Very Hard Concrete - XHF
STEP7HF	7" 178mm x 8 segment x 22.23mm - 25 Grit - Soft Bond for Hard Concrete - HF
STEP7SF	7" 178mm x 8 segment x 22.23mm - 25 Grit - Hard Bond for Soft Concrete - SF



TRI SHAPED DIAMOND SEGMENTS - CUP WHEEL

Designed for Fast & Aggressive concrete grinding

PRODUCT CODE	SPECIFICATION
HCW4MF	4" 100mm x 5 segment x 22.23mm - 25 Grit - MF Medium Bond
HCW45MF	4.5" 115mm x 5 segment x 22.23mm - 25 Grit - MF Medium Bond
HCW5MF	5" 125mm x 6 segment x 22.23mm - 25 Grit - MF Medium Bond
HCW5HF	5" 125mm x 6 segment x 22.23mm - 25 Grit - Soft Bond for Hard Concrete
HCW6MF	6" 150mm x 6 segment x 19mm - 25 Grit MF Medium Bond - Suit HILTI
HCW6HF	6" 150mm x 6 segment x 19mm - 25 Grit Soft Bond for Hard Concrete - Suit HILTI
HCW7MF	7" 178mm x 8 segment x 22.23mm - 25 Grit MF Medium Bond
HCW7HF	7" 178mm x 8 segment x 22.23mm - 25 Grit Soft Bond for Hard Concrete




CONCRETE GRINDING

DIAMOND TURBO - CUP WHEEL

9 & 12 Segments - 16/30/40grit Designed for aggressive concrete grinding & coating removal
18 & 24 Segments - 16/25grit Designed for concrete grinding - 60/80/120grit Fine Grinding

PRODUCT CODE	SPECIFICATION
DT49MF	4" 100mm x 9 segment x 16mm / 22.23mm - 30/40 Grit
DT4960MF	4" 100mm x 9 segment x 16mm / 22.23mm - 60 Grit - FINE GRIT
DT49120MF	4" 100mm x 9 segment x 16mm / 22.23mm - 120 Grit - FINE GRIT
DT459MF	4.5" 115mm x 9 segment x 16mm / 22.23mm - 30/40 Grit
DT59MF	5" 125mm x 9 segment x 8mm x 22.23mm - 30/40 Grit
DT59HF	5" 125mm x 9 segment x 8mm x 22.23mm - 30/40 Grit
DT518MF	5" 125mm x 18 segment x 5mm 22.23mm - 30/40 Grit
DT51860MF	5" 125mm x 18 segment x 5mm 22.23mm - 60 Grit - FINE GRIT
DT51880MF	5" 125mm x 18 segment x 5mm 22.23mm - 80 Grit - FINE GRIT
DT518120MF	5" 125mm x 18 segment x 5mm 22.23mm - 120 Grit - FINE GRIT
DT71216MF	7" 180mm x 12 segment x 8mm x 22.23mm - 16 Grit
DT712MF	7" 180mm x 12 segment x 8mm x 22.23mm - 30/40 Grit
DT712XHF	7" 180mm x 12 segment x 8mm x 22.23mm - 30/40 Grit - Extreme Soft Bond - XHF
DT712SF	7" 180mm x 12 segment x 8mm x 22.23mm - 30/40 Grit SF - Hard Bond / Soft Floor
DT71260MF	7" 180mm x 12 segment x 8mm x 22.23mm - 60 Fine Grit MF
DT71260HF	7" 180mm x 12 segment x 8mm x 22.23mm - 60 Fine Grit - HF - Soft Bond / Hard Floor
DT712120MF	7" 180mm x 12 segment x 8mm x 22.23mm - 120 Fine Grit MF
DT712120HF	7" 180mm x 12 segment x 8mm x 22.23mm - 120 Fine Grit - HF - Soft Bond / Hard Floor
DT724MF	7" 180mm x 24 segment x 22.23mm - 30/40 Grit
DT72460MF	7" 180mm x 24 segment x 22.23mm - 60 Grit - FINE GRIT
DT72480HF	7" 180mm x 24 segment x 22.23mm - 80 Grit - FINE GRIT
DT72480MF	7" 180mm x 24 segment x 22.23mm - 80 Grit - FINE GRIT
DT724120MF	7" 180mm x 24 segment x 22.23mm - 120 Grit - FINE GRIT
DT724120HF	7" 180mm x 24 segment x 22.23mm - 120 Grit - FINE GRIT



XHF	PURPLE - Super Soft Bond - Super Hard Floors
VHF	BLUE - Very Soft Bond - Very Hard Floors
HF	YELLOW - Soft Bond - Hard Floors
MF	WHITE - Medium Bond - Medium Floors
SF	BLACK - Hard Bond - Soft Floors



CONCRETE GRINDING

DIAMOND DOUBLE ROW - CUP WHEEL

16/30/40grit Designed for Faster material removal on concrete.
60/80/120grit Fine surface preparation on concrete

PRODUCT CODE	SPECIFICATION	
DR430	4" 100mm x 16mm / 22.23mm - 30/40 Grit	MF WHITE
DR480	4" 100mm x 16mm / 22.23mm - 80 Grit	MF WHITE
DR530	5" 125mm x 22.23mm - 30/40 Grit	MF WHITE
DR730	7" 180mm x 22.23mm - 30/40 Grit	MF WHITE
DR760	7" 180mm x 22.23mm - 60 Grit - FINE GRIT	MF WHITE
DR7120	7" 180mm x 22.23mm - 120 Grit - FINE GRIT	MF WHITE



DIAMOND FAN CUP WHEEL

30/40grit Designed for Faster material removal on concrete.
60/80/120grit Fine surface preparation on concrete

PRODUCT CODE	SPECIFICATION	
DF4560	4.5" 115mm x 22.23mm - 60 Grit	
DF530	5" 125mm x 22.23mm - 30/40 Grit	
DF530HF	5" 125mm x 22.23mm - 30 Grit HF Soft Bond / Hard Floor	
DF560	5" 125mm x 22.23mm - 60 Fine Grit	
DF560HF	5" 125mm x 22.23mm - 60 Fine Grit HF Soft Bond / Hard Floor	
DF5120	5" 125mm x 22.23mm - 120 Grit	
DF5120HF	5" 125mm x 22.23mm - 120 Grit HF Soft Bond / Hard Floor	
DF630	6" 150mm x 19mm - 30/40 Grit	SUIT HILTI
DF680	6" 150mm x 19mm - 80 Grit - FINE GRIT	SUIT HILTI
DF730	7" 180mm x 22.23mm - 30/40 Grit	
DF730VHF	7" 180mm x 22.23mm - 30 Grit VHF Very Soft Bond / Very Hard Floor	
DF760	7" 180mm x 22.23mm - 60 Grit - FINE GRIT	
DF760VHF	7" 180mm x 22.23mm - 60 Grit VHF Very Soft Bond / Very Hard Floor	
DF7120	7" 180mm x 22.23mm - 120 Grit - FINE GRIT	
DF7120VHF	7" 180mm x 22.23mm - 120 Grit VHF Very Soft Bond / Very Hard Floor	



CYCLONE CUP WHEEL

PRODUCT CODE	SPECIFICATION	
CYC4	4" 100mm x 16/22.23mm - 30 Grit - MF	
CYC45	4.5" 115mm x 22.23mm - 30 Grit - MF	
CYC5	5" 125mm x 22.23mm - 30 Grit - MF	



50mm DIAMOND CUP WHEEL - 50mm Line Marking Removal

25grit Designed for Faster material removal on concrete.
60grit Fine surface preparation on concrete

PRODUCT CODE	SPECIFICATION	
2CW25	2" 50mm x 16mm - 25 GRIT	
2CW60	2" 50mm x 16mm - 60 GRIT	



VHF	BLUE - Very Soft Bond - Very Hard Floors
HF	YELLOW - Soft Bond - Hard Floors
MF	WHITE - Medium Bond - Medium Floors
SF	BLACK - Hard Bond - Soft Floors



M14 - Adjustment
for Cup Wheel

PREMIUM SATELLITE CUP WHEELS



SMART DIAMOND TOOLS

VHF	BLUE - Very Soft Bond - Very Hard Floors
HF	YELLOW - Soft Bond - Hard Floors
MF	WHITE - Medium Bond - Medium Floors
SF	BLACK - Hard Bond - Soft Floors
VSF	GREEN - Very Hard Bond - Very Soft Floors

DIAMOND LOW PROFILE CUP WHEELS - Suits many Grinding Machines

30/40grit Designed for Faster material removal on concrete.

80/120grit Fine surface preparation on concrete

PRODUCT CODE	SPECIFICATION
TGP7316	7" x 3 long Segments x 22.23mm - 16 Grit - Medium Bond
TGP7316HF	7" x 3 long Segments x 22.23mm - 16 Grit - Soft Bond / Hard Floor - HF
TGP7325	7" x 3 Long Segments x 22.23mm - 25 Grit - Medium Bond
TGP7330	7" x 3 Long Segments x 22.23mm - 30 Grit - Medium Bond
TGP7325VHF	7" x 3 Long segments x 22.23mm - 25 Grit - Very Soft Bond / Very Hard Floor - VHF
TGP7330HF	7" x 3 Long segments x 22.23mm - 30 Grit - Soft Bond / Hard Floor - HF
TGP7330SF	7" x 3 Long Segments x 22.23mm - 30 Grit - Hard Bond / Soft Floor - SF
TGP7616	7" x 6 long Segments x 22.23mm - 16 Grit - Medium Bond
TGP7616HF	7" x 6 long Segments x 22.23mm - 16 Grit - Soft Bond / Hard Floor - HF
TGP7630	7" x 6 Long Segments x 22.23mm - 30 Grit - Medium Bond
TGP7630HF	7" x 6 Long segments x 22.23mm - 30 Grit - Soft Bond / Hard Floor - HF
TGP7930	7" x 9 long Segments x 22.23mm - 30 Grit - Medium Bond
TGP7960	7" x 9 Long Segments x 22.23mm - 60 Grit - Medium Bond
TGP7980VHF	7" x 9 Long segments x 22.23mm - 80 Grit -
TGP79120	7" x 9 Long Segments x 22.23mm - 120 Grit - Medium Bond
COATING REMOVAL	
TGP73STARHF	7" x 3 STAR Segments x 22.23mm - Very Soft Bond / Hard Floor - VHF
TGP73STARHF	7" x 3 STAR Segments x 22.23mm - Soft Bond / Hard Floor - HF
TGP76STARHF	7" x 6 STAR Segments x 22.23mm - Soft Bond / Hard Floor - HF



50mm DIAMOND PLUGS

PRODUCT CODE	SPECIFICATION
50PLUG30	50mm Solid Segment - 30 Grit - Medium Bond
50PLUG30HF	50mm Solid Segment - 30 Grit - Soft Bond / Hard Floor
50PLUG30SF	50mm Solid Segment - 30 Grit - Hard Bond / Soft Floor
74PLUG16	50mm / 74mm Plate x 6 segments - 16/20 grit - Medium Bond
74PLUG16HF	50mm / 74mm Plate x 6 segments - 16/20 grit - Soft Bond / Hard Floor
74PLUG16SF	50mm / 74mm Plate x 6 segments - 16/20 grit - Hard Bond / Soft Floor
74PLUG16VSF	50mm / 74mm Plate x 6 segments - 16/20 grit - Very Hard Bond / Very Soft Floor
74PLUG30	50mm / 74mm Plate x 6 segments - 30 Grit - Medium Bond
74PLUG30HF	50mm / 74mm Plate x 6 segments - 30 Grit - Soft Bond / Hard Floor
74PLUG30SF	50mm / 74mm Plate x 6 segments - 30 Grit - Hard Bond / Soft Floor
74PLUG30VSF	50mm / 74mm Plate x 6 segments - 30 Grit - Very Hard Bond / Very Soft Floor
74PLUG30VHF	50mm / 74mm Plate x 6 segments - 30 Grit - Very Soft Bond / Very Hard Floor
74PLUG60	50mm / 74mm Plate x 6 segments - 60/80 Grit - Medium Bond
74PLUG60HF	50mm / 74mm Plate x 6 segments - 60/80 Grit - Soft Bond / Hard Floor
74PLUG120	50mm / 74mm Plate x 6 segments - 120 Grit - Medium Bond
74PLUG120HF	50mm / 74mm Plate x 6 segments - 120 Grit - Soft Bond / Hard Floor



50mm DIAMOND PLUGS



SMART DIAMOND TOOLS

PRODUCT CODE	SPECIFICATION
74PLUG30A	50mm / 74mm Plate x 5 Arrow segments - 30 Grit - Medium Bond
74PLUG30HFA	50mm / 74mm Plate x 5 Arrow segments - 30 Grit - Soft Bond / Hard Floor
74PLUG30SFA	50mm / 74mm Plate x 5 Arrow segments - 30 Grit - Hard Bond / Soft Floor
74PLUG30VSFA	50mm / 74mm Plate x 5 Arrow segments - 30 grit - Very Hard Bond / Very Soft Floor



50mm PCD PLUG	
50PLUGPCD	50mm x 3 PCD - VERY Aggressive Coating Removal



PREMIUM 10" CUP WHEELS

- Suits - METEOR

DIAMOND LOW PROFILE CUP WHEELS - Suits many Grinding Machines

16/25/30/40grit Designed for Faster material removal on concrete.
60/80/120grit Fine surface preparation on concrete

PRODUCT CODE	SPECIFICATION
TGP10316	10" x 3 long Segments x 22.23mm - 16 Grit - Medium Bond
TGP10316HF	10" x 3 long Segments x 22.23mm - 16 Grit - Soft Bond / Hard Floor - HF
TGP10330	10" x 3 Long Segments x 22.23mm - 30 Grit - Medium Bond
TGP10330HF	10" x 3 Long segments x 22.23mm - 30 Grit - Soft Bond / Hard Floor
TGP10616	10" x 6 long Segments x 22.23mm - 16 Grit - Medium Bond
TGP10630	10" x 6 Long Segments x 22.23mm - 30 Grit - Medium Bond
TGP10630HF	10" x 6 Long segments x 22.23mm - 30 Grit - Soft Bond / Hard Floor - HF
TGP10930	10" x 9 long Segments x 22.23mm - 30 Grit - Medium Bond
TGP10960	10" x 9 Long Segments x 22.23mm - 60 Grit - Medium Bond
TGP109120	10" x 9 Long Segments x 22.23mm - 120 Grit - Medium Bond



LARGE DIAMOND SHAPED SEGMENTS - CUP WHEEL

Designed for Fast & Aggressive concrete grinding

PRODUCT CODE	SPECIFICATION
LDCW103	10" 250mm x 3 Large Diamond segment x 22.23mm - HF
LDCW106	10" 250mm x 6 Large Diamond segment x 22.23mm - HF



PCD SEGMENTS - CUP WHEEL

Designed for Fast & Aggressive concrete grinding for EPOXY & COATINGS REMOVAL

PRODUCT CODE	SPECIFICATION
PCDCW10	10" 250mm x 9 PCD + TCT segment x 22.23mm




WEDGE BLOCKS



SMART DIAMOND TOOLS

PRODUCT CODE	SPECIFICATION
WBMF	WEDGE BLOCK 30/40 grit - Medium Bond MF WHITE
WBMF80	WEDGE BLOCK 80 grit - Medium Bond MF WHITE
WBHF	WEDGE BLOCK HF - 30/40 grit - Soft Bond / Hard Floor
WBA25	WEDGE BLOCK 3 x 15mmH Arrow segments - 25 grit - Soft Bond / Hard Floor
WBSC16	WEDGE BLOCK - Silicon Carbide Grinding 16 Grit



8" and 10" Grinding Plates


DIAMOND GRINDING PLATES - Suits many Grinding Machines

Some plates Sold on change over basis

PRODUCT CODE	SPECIFICATION
GP812	8" x 12 Segments - 30/40 Grit - Medium Bond MF WHITE
GP8AHF	8" x 6 Arrow segments - 25 Grit - Soft Bond / Hard Floor - Coatings Removal



PRODUCT CODE	SPECIFICATION
GP1010	10" x 10 Segments - 30/40 Grit - Medium Bond MF WHITE
GP1016	10" x 16 Segments - 30/40 Grit - Medium Bond MF WHITE
GP1016HF	10" x 16 segments - 30 Grit - Soft Bond / Hard Floor



MF	WHITE - Medium Bond - Medium Floors
HF	YELLOW - Soft Bond - Hard Floors

PLASTIC CONCRETE DUST BAGS

PLASTIC DUST BAGS 700mm x 900mm x 120um

DUST BAGS - 25 Bags






DIAMOND CORNER GRINDER

DCG25 - 25/30/40grit Designed for Faster material removal on concrete.
DCG120 - 120grit Fine surface preparation on concrete



DIAMOND TRIANGLE MULTI TOOL VELCRO PADS

TRI25 - 30grit Designed for Faster material removal on concrete. -
TRI60 - 60grit Fine surface preparation on concrete
TRI120 - 120grit Fine surface preparation on concrete



DIAMOND TRIANGLE MULTI TOOL POLISHING PADS

TRIPOLISH- 50, 100, 200, 400, 800, 1500 & 3000 GRIT



DIAMOND EDGE GRINDER

DEG530 - 5mm Radius - 30/40grit Designed for rounding edges on Concrete Benches, Concrete Steps, etc.
DEG5120 - 5mm Radius - 120grit Fine preparation on Concrete Benches, Concrete Steps, etc
DEG30 - 10mm Radius - 30/40grit Designed for rounding edges on Concrete Benches, Concrete Steps, etc.
DEG120 - 10mm Radius - 120grit Fine preparation on Concrete Benches, Concrete Steps, etc
DEG2030 - 20mm Radius - 30/40grit Designed for rounding edges on Concrete Benches, Concrete Steps, etc.
DEG20120 - 20mm Radius - 120grit Fine preparation on Concrete Benches, Concrete Steps, etc





VELCRO BACKING PADS - M14

PRODUCT CODE	SPECIFICATION
VBP4	4" Velcro Backing Pad
VBP4A	4" Aluminum Velcro Backing Pad
VBP5	5" Velcro Backing Pad
VBP5A	5" Aluminum Velcro Backing Pad
VBP7	7" Velcro Backing Pad
VBP7A	7" Aluminum Velcro Backing Pad



Thin Flexible - PURE RESIN PADS

PRODUCT CODE	SPECIFICATION
PR5	5" 125mm - High Quality Finish - 50, 100, 200, 400, 800, 1500 & 3000 Grit



FLEXIBLE POLISHING PADS - 3MM / 5MM / 10MM

PRODUCT CODE	SPECIFICATION
FP33	4" 100mm - 3mm Quality Finish - 50, 100, 200, 400, 800, 1500 & 3000 Grit
FP43	4" 100mm - 3mm Quality Finish - 50, 100, 200, 400, 800, 1500 & 3000 Grit
FP53	5" 125mm - 3mm Quality Finish - 50, 100, 200, 400, 800, 1500 & 3000 Grit
FP55	5" 125mm - 5mm Quality Finish - 50, 100, 200, 400, 800, 1500 & 3000 Grit
FP73	7" 180mm - 3mm Quality Finish - 50, 100, 200, 400, 800, 1500 & 3000 Grit
FP75	7" 180mm - 5mm Quality Finish - 50, 100, 200, 400, 800, 1500 & 3000 Grit
FP910	9" 230mm - 10mm Quality Finish - 100, 200, 400 Grit WET



DIAMOND PUCKS

PRODUCT CODE	SPECIFICATION
PUCK	3" 80mm - High Quality Finishing - 30, 50, 100, 200, 400, 800, 1500 & 3000 Grit
PUCKSS	3" 80mm - High Quality Finishing - 50, 100, 200, 400, 800, 1500 & 3000 Grit - SUPER SHINE



CERAMIC DIAMOND PUCKS

PRODUCT CODE	SPECIFICATION
CPUCK	3" 80mm - High Quality Finishing - 30, 50, 100, 200 Grit



FLOOR BURNISHING / BUFFING PADS


PRODUCT CODE	SPECIFICATION
FBBW	17" 430mm - Soft Polish - WHITE
FBBR	17" 430mm - Polish / Buff - RED
FBBB	17" 430mm - Stripper - BLACK





SQUEEGEES

- 450mm Squeegee - Strong Neoprene Rubber
- 600mm Squeegee - Strong Neoprene Rubber
- 900mm Squeegee - Strong Neoprene Rubber



SQUEEGEES

- 450mm Squeegee - Dual Rubber Squeegee
- 600mm Squeegee - Dual Rubber Squeegee
- 900mm Squeegee - Dual Rubber Squeegee



SPIKE ROLLER

- 250mm Spike Roller - 11mm Spikes
- 500mm Spike Roller - 11mm Spikes



SPIKE SHOES



GAUGE RAKE

- 500mm
- 1000mm



SMOOTHER TROWEL





YOKES / Roller Frames

- 230mm Roller frame**
- 270mm Roller frame**
- 460mm Yoke Frame**



75mm Brushes

12 Pack



Roller Kits

- 230mm Roller Kits**
- 270mm Roller Kits**



Roller SLEEVES

460mm x 12mm NAP

270mm x 12mm NAP - 4PK

270mm x 6mm NAP - 4PK

230mm x 12mm NAP - 4PK

230mm x 6mm NAP - 4PK

100mm x 10mm NAP - 10PK





D HANDLE - kit
4" / 5" Angle Grinder
7" / 9" Angle Grinder



5GKIT
5" Metabo Angle Grinder
with D Handle + Shroud



9GKIT
9" Metabo Angle Grinder
with D Handle + Shroud



7" Dust Velcro Replacement
Code 7VDR



3 Phase Extension Leads
20m x 20amp - 4 Pin M/F
20m x 32amp - 4 Pin M/F

FLOOR GRINDING ACCESSORIES / VACUUM

90ltr WET / DRY Vacuums

90Ltr WET / DRY 2000w 10amp (2 x 1000w motors) Vacuum

90Ltr WET / DRY 3000w 15amp (3 x 1000w motors) Vacuum



38mm 2pce Chrome Wand
38mm Dry Vacuum Head
38mm Wet Vacuum Head

38mm Vacuum Hose



51mm Vacuum Hose



DUST COLLECTOR BDC-1114

Motor	1.4 kW / 230v
Cleaning	Electromagnetic pulse cleaning system
Filter	Cartridge filters
Dustbin Capacity	35 litre
Dust hose inlet	35mm
Suitable machines	Handheld / small grinders and scarifiers

Cyclone Separator

- 50 litre Separator
- Reduces filter blockages and extends life of vacuum motors,
 - Easy to empty, done in just seconds
 - The SEPARATOR suits any vacuum hose with 50mm cuff ends
 - Suitable for use with most dusts and liquids (not recommended for solvents)
 - Extends intervals between filter cleaning allowing much higher productivity



PLASTIC DUST BAGS
700mm x 900mm x 120um



STEEL SHOT - 330

S330 STEEL SHOT - Shot Blasting Machines - 25kg





T250CUB FLOOR GRINDER



T250CUB is a single-disc concrete grinder especially designed for small to medium horizontal surface preparation applications. The **T250CUB** is very easy and comfortable to use with low vibrations.

The **T250CUB** single disc grinder is dust free when connected to the appropriate dust collection system. **T250CUB** is also fitted with water attachment.

Working width: Ø250 mm | The **T250CUB** has an adjustable grinding depth and it's very easy and Comfortable to use with low vibrations.



T250CUB
10" 250mm x 16 segments Plate

OR

CONVERTER PLATE

Grinding plate takes 9 x Tornado Premium Pro Quick Lock Shoes.
Either Single Shoes or Doubles
6grit to 120grit Diamond shoes
Arrow Shoes
PCD Shoes



T250CUB FLOOR GRINDER

POWER	3HP MOTOR - 2.2KW	HEADS	SINGLE HEAD
VOLT	230V - 10amp	GRIND WIDTH	250mm
DIAMETER	250mm	WEIGHT	65kg
SPEED	1400 RPM		



TORNADO T12 FLOOR GRINDER

Tornado T12 is a single-disc concrete grinder especially designed for small to medium horizontal surface preparation applications.

The **Tornado T12** is very easy and comfortable to use with low vibrations.

The **Tornado T12** single disc grinder is dust free when connected to the appropriate dust collection system.

Working width: Ø430 mm | The **Tornado T12** has a self levelling head, and it's very easy and Comfortable to use with low vibrations.



TORNADO T12



Tornado T12

Grinding plate takes 6 x Tornado Premium Pro Quick Lock Shoes.

Either Single Shoes or Doubles

6grit to 120grit Diamond shoes

Arrow Shoes

PCD Shoes



T12 FLOOR GRINDER

POWER	5HP(3.7kw) Inverter5HP(3.7kw)	HEADS	SINGLE HEAD
VOLT	230V Current7A, 60HZ	WATER TANK	30L
DIAMETER	430mm	WEIGHT	95kg
SPEED	300-1200 rmp	Operation	Belt



TORNADO T6

PLANETARY FLOOR GRINDER



Tornado T6 is the smallest planetary triple head grinder in our range.

The **Tornado T6** is designed for various sizes of horizontal surface preparation applications.

It is an ideal machine for companies dealing with removal of coating, concrete grinding or polishing applications. The **Tornado T6** triple head grinder is dust free when connected to the appropriate dust collection system.

3 planetary rotating discs Ø 200 mm.

Forward / Reverse - Variable Speed 300 - 1600rpm.

Can be split for easy transport upstairs or in vehicles.

30L water tank with easy adjustable valve flow control.

Heavy duty professional equipment 230V, easy to plug in on every jobsite.

T-6 FLOOR GRINDER

POWER	5HP MOTOR 5HP INVERTER	HEADS	3 HEAD PLANETARY
VOLT	230V - 10amp	GRIND WIDTH	440mm
DIAMETER	460mm	WATER TANK	30 Litres
SPEED	300 - 1600 RPM	WEIGHT	135KG



TORNADO T7

PLANETARY FLOOR GRINDER



Tornado T7 is the Largest 240V planetary triple head grinder in our range.

The **Tornado T7** is designed for various sizes of horizontal surface preparation applications.

It is an ideal machine for companies dealing with removal of coating, concrete grinding or polishing applications. The **Tornado T7** triple head grinder is dust free when connected to the appropriate dust collection system.

3 planetary rotating discs Ø 230 mm.

Forward / Reverse - Variable Speed 300 - 1600rpm.

Can be split for easy transport upstairs or in vehicles.

30L water tank with easy adjustable valve flow control.

Heavy duty professional equipment 230V, 15amp.

T-7 FLOOR GRINDER

POWER	5HP MOTOR 7.5HP INVERTER	HEADS	3 HEAD PLANETARY
VOLT	230V - 15amp	GRIND WIDTH	540mm
DIAMETER	550mm	WATER TANK	30 Litres
SPEED	300 - 1600 RPM	WEIGHT	155KG



TORNADO T8/3 PLANETARY FLOOR GRINDER



Tornado T8/3 is our planetary triple head floor grinder / polisher in our range.

The **Tornado T8/3** is designed for various sizes of horizontal surface preparation applications.

It is an ideal machine for companies dealing with removal of coating, concrete grinding or polishing applications. The **Tornado T8/3** triple head grinder is dust free when connected to the appropriate dust collection system.

3 planetary rotating discs Ø 250 mm.

Forward / Reverse - Variable Speed 300 - 1800rpm.

Can be split for easy transport upstairs or in vehicles.

30L water tank with easy adjustable valve flow control.

T-8/3 FLOOR GRINDER

POWER	10HP MOTOR 15HP INVERTER	HEADS	3 HEAD PLANETARY
VOLT	380V - 20amp	GRIND WIDTH	640mm
DIAMETER	650mm	WATER TANK	30 Litres
SPEED	300 - 1800 RPM	WEIGHT	270KG



TORNADO T8/4 PLANETARY FLOOR GRINDER



Tornado T8/4 is a 4 Head planetary Floor grinder / Polisher.

The **Tornado T8/4** is designed for various sizes of horizontal surface preparation applications.

It is an ideal machine for companies dealing with removal of coating, concrete grinding or polishing applications. The **Tornado T8/4** four head grinder is dust free when connected to the appropriate dust collection system.

4 planetary rotating discs Ø 250 mm.

Forward / Reverse - Variable Speed 300 - 1800rpm.

Can be split for easy transport upstairs or in vehicles.

30L water tank with easy adjustable valve flow control.

T-8/3 FLOOR GRINDER

POWER	10HP MOTOR 15HP INVERTER	HEADS	4 HEAD PLANETARY
VOLT	380V - 20amp	GRIND WIDTH	650mm
DIAMETER	650mm	WATER TANK	30 Litres
SPEED	300 - 1800 RPM	WEIGHT	270KG



TORNADO T9 PLANETARY FLOOR GRINDER



Tornado T9 is a 3 Head planetary Floor grinder / Polisher.

The **Tornado T9** is designed for various sizes of horizontal surface preparation applications.

It is an ideal machine for companies dealing with removal of coating, concrete grinding or polishing applications. The **Tornado T9** 3 head grinder is dust free when connected to the appropriate dust collection system.

3 planetary rotating discs Ø 250 mm.

Forward / Reverse - Variable Speed 300 - 1600rpm.

Can be split for transport.

30L water tank with easy adjustable valve flow control.

T-9 FLOOR GRINDER

POWER	15HP MOTOR 15HP INVERTER	HEADS	3 HEAD PLANETARY
VOLT	380V - 32amp	GRIND WIDTH	750mm
DIAMETER	750mm	WATER TANK	30 Litres
SPEED	300 - 1600 RPM	WEIGHT	295KG



TORNADO RT1 PLANETARY FLOOR GRINDER

Remote



RT-1 REMOTE CONTROL / FLOOR GRINDER / POLISHER

POWER	15HP MOTOR 15HP INVERTER	HEADS	3 HEAD PLANETARY
VOLT	380V - 32amp	GRIND WIDTH	750mm
DIAMETER	750mm	MOVING SPEED	1-10m/min
SPEED	300 - 1800 RPM	WEIGHT	350KG



TORNADO RT3

PLANETARY FLOOR GRINDER
REMOTE CONTROL / RIDE ON



Tornado RT3 is a 3 Head planetary Remote Control / Ride on - Floor grinder / Polisher. The **Tornado RT3** is designed to be operated by Remote / Ride-on for reducing the labour costs and increasing the efficiency . It is an ideal machine for companies dealing with removal of coating, concrete grinding or polishing applications. The **Tornado RT3** 3 head grinder is dust free when connected to the appropriate dust collection system.

3 planetary rotating discs Ø 250 mm.
Forward / Reverse - Variable Speed 300 - 1600rpm.
Moving speed 1-10m/min

RT-3 REMOTE CONTROL / RIDE ON - FLOOR GRINDER / POLISHER

POWER	15HP MOTOR 15HP INVERTER	HEADS	3 HEAD PLANETARY
VOLT	380V - 32amp	GRIND WIDTH	750mm
DIAMETER	750mm	MOVING SPEED	1-10m/min
SPEED	300 - 1800 RPM	WEIGHT	350KG



TECHNICAL DATA	
Dimensions W / L / H	640mm / 570mm / 1.000mm
Weight	40 kg
Motor power	1,6kW / 230 V / 50Hz & 60Hz / 16A
Dust extraction motors	2 independent motors
Filter	M-class star filter
Cleaning	Manual shaker on top
Dustbin capacity	40 liters
Dust hose inlet	Ø 51mm
Suitable machines	Handheld / small grinders, shot blasters and scarifiers



DUST COLLECTOR

MAIN ASSETS

- Innovative and light weight industrial dust collector, made of strong polyester.
- Light to carry, resistant and easy to clean.
- Standard equipped with an M-class star filter.
- Can be used indoor and outdoor.
- Ideal for handheld equipment and small grinders, shot blasters and scarifiers.
- For safe, dust free and perfectly clean jobsites.
- Heavy duty equipment, designed for continuous use.

BLASTRAC 1330LP INDUSTRIAL DUST EXTRACTOR



TECHNICAL DATA	
Dimensions W / L / H	800mm / 600mm / 1.580mm
Weight	71 kg
Motor power	3kW / 230 V single phase / 50Hz & 60Hz / 16A
Dust extraction motors	3 independent motors
Filter	M-class star filter
Airflow	7.500 l/min
Cleaning	Manual shaker
Bag capacity	25kg
Dust hose inlet	Ø 51mm / Ø 76mm
Suitable machines	Medium size grinders, shot blasters and scarifiers